

# RF800

Decorative Flame Fire

# Rinnai

*Relax. It's a Rinnai.*



# A decorative flame fire that looks as good as it feels.

The fresh, slimline design of the RF800 will bring a modern and stylish feeling to your home. This open fronted fire uses a combination of logs, coals and granules to produce a classic, realistic flame. Becoming more than just a feature to your living room, this flame fire will also provide an incredible warmth, producing radiant and convection heat. With the option to adjust flame height and fan speed, you're in complete control.

## Features and Benefits

- > Modern design
- > Compact sizing suitable for existing or new timber frame situations
- > Burn media combines logs, coals and granules to create an enticing, warm flame
- > Available with the minimal stainless steel front, this flexible fire has the option of a stainless steel or black trim
- > Open front provides an unobstructed flame picture with a classic look
- > Zero clearance box is supplied as standard, allowing for flexibility in installation



*Stainless Steel 3 sided trim*



*Black 3 sided trim*

## Additional Features

- > Side mirror reflector panels are supplied as standard with the unit, producing the illusion of more depth to the dancing flames
- > Fully electronic operation with remote controlled fan speed, flame height and ignition
- > Powerful fan operated with remote control to assist with even heat distribution
- > Optional masonry adaptor that allows the unit to connect to a flexi flue liner or rigid flue within a non-combustible chimney




Side mirror reflector panels


## Specifications

	Inbuilt Cavity Dimensions* (mm)			Visual Dimensions (mm)			Colour	Gas Input - MJ/h		kW Out-put	Gas Type
	Height	Width	Depth	Height	Width	Depth		Low	High		
<b>RF800</b> (Inbuilt)	600	900	435	605	910	15	Black/ Stainless Steel	25	40	3.77	LPG & NG

## Flueing Options



1. Zero clearance - Direct



2. Zero clearance - Offset

**Note:** Drawings are a guide only. Please see Installation manual for further details on flueing.

Flueing Type	Flueing Order Components	Order Code
1 Zero Clearance - Direct	200mm inner/250mm outer - 900mm length	3 x RFPIPE200
	Roof Cowl - 200mm inner	1 x RFCOWL200
2 Zero Clearance - Offset	200mm inner/250mm outer - 45° bend	1 x RFBEND200
	200mm inner/250mm outer - 900mm length	4 x RFPIPE200
	Roof Cowl - 200mm inner	1 x RFCOWL200

Warranty	Heat Exchanger	Fan	Firebox	Gas Burner	Control Parts	Free Labour
Domestic Use	10 years pro rata <sup>(1)</sup>	2 years	16 years	3 years	2 years	1 year
Commercial Use	1 year on all parts and labour					

**Please note:** For full definitions of Domestic and Commercial use, along with other conditions and exclusions, please refer to [www.rinnai.com.au](http://www.rinnai.com.au). Rinnai Australia Pty. Ltd. Reserves the right to make modifications and change specifications without notice. We will however endeavour to communicate any major changes well before implementation. (1) Full replacement cost in the 1st year, reducing 10% per year thereafter. 240V power is required on all models. A power cord and plug is fitted. If hardwiring is required, consult a licensed electrician. #Dimensions are subject to production tolerances and may vary slightly from those given. Rinnai Australia Pty Ltd reserves the right to make modification and change specifications without notice. #Refers to the visual appearance of the appliance external to the wall for inbuilt models.

### Rinnai Australia Pty Ltd

ABN 74 005 138 769

100 Atlantic Drive,  
Keysborough, Victoria 3173

For further information visit

[www.rinnai.com.au](http://www.rinnai.com.au)

or call 1300 555 545

#### Dealer Details:

**Rinnai**  
Relax. It's a Rinnai.

