

Symmetry

Gas Log Flame Fire

Rinnai

Relax. It's a Rinnai.



Find your perfect symmetry this winter.

Perfect for new homes and renovations, the Rinnai Symmetry Gas Log Flame Fire is setting the standard in flame fire design, efficiency and technology.

Providing a focal point for living rooms, the Symmetry's stylish and modern design has a wide landscape orientation that installs virtually flush against the wall comfortably heating large open plan spaces.

Features and Benefits

- > High 4.2 Star energy efficiency
- > Wide landscape orientation
- > Multiple timers
- > Fully thermostatic for ultimate comfort
- > Room sealed appliance for superior indoor air quality
- > Design registered Australian Eucalyptus Log Set with added river stones for realism
- > Direct Vent (balanced), flue system, allowing flexible installation options
- > Can be installed as a fully recessed fire
- > Available in 2 fascia options – bevelled black or bevelled silver



Bevelled Black



Bevelled Silver

Additional Features

- > Full function radio frequency remote control - no need to point directly at the unit
- > Programmable timers for mornings and evenings
- > The remote control has an easy to read LCD display screen.
- > Gently flickering flame for ambience
- > Non-obtrusive fine mesh dress guard for added protection
- > Powerful multi speed fan to assist with even heat distribution



Flame for Ambience



Remote Control


Specifications

| | Visual Dimensions [‡] (mm) | | | Inbuilt Cavity Dimensions (mm) | | | Efficiency Star Rating AS4553 | Colour | Gas Input - MJ/h | | kW Out- put | 'Heats up to' Capacity (m ²) | | | |
|------------------------------|--|-------|-------|--------------------------------------|--------------------|------------|--|--|---------------------|------|-------------------|---|------|------|------|
| | Height | Width | Depth | Height | Width | Depth | | | Low | High | | Very Cold | Cold | Cool | Mild |
| Symmetry (Inbuilt) | 643 | 1110 | 14 | 850 | 1100 to 1125 | Min 600 | 4.2 | Bevelled Black or Bevelled Silver | 19 | 33 | 7.6 | 64 | 76 | 103 | 117 |


Flueing Options

The Direct Flue Kit covers the majority of installations. Separate components are available for other installations.


Please note: Symmetry flueing combinations vary for each installation. Please refer to the installation instructions or online at www.rinnai.com.au




Direct Flue Kit installation



Elevated installation



Vertical



Through Wall

| <i>Warranty</i> | <i>Heat Exchanger</i> | <i>Fan</i> | <i>All Other Parts</i> | <i>Free Labour</i> |
|-----------------|----------------------------------|------------|------------------------|--------------------|
| Domestic Use | 10 years pro rata ⁽¹⁾ | 2 years | 1 year | 1 year |
| Commercial Use | 1 year on all parts and labour | | | |

Please note: For full definitions of Domestic and Commercial use, along with other conditions and exclusions, please refer to www.rinnai.com.au
⁽¹⁾ Full replacement cost in the 1st year, reducing 10% per year thereafter. 240V power is required on all models. A power cord and plug is fitted. If hardwiring is required, consult a licensed electrician. Dimensions are subject to production tolerances and may vary slightly from those given. Rinnai Australia Pty Ltd reserves the right to make modifications and change specifications without notice. # Refers to the visual appearance of the appliance external to the wall for inbuilt models.

**Refer to our online heater selector to find the right heater to suit your needs.
 Download our "Rinnai Fire" app to visualise how a Rinnai Fireplace could look in your home.**

Rinnai Australia Pty Ltd

ABN 74 005 138 769

100 Atlantic Drive,
 Keysborough, Victoria 3173

For further information visit

www.rinnai.com.au

or call 1300 555 545

Dealer Details:

